






MATCH LINE A

MATCH LINE A



2 NW 1st PL. HARDSCAPE DETAIL

SCALE: 1/8" = 1'-0"

REFERENCE NOTES SCHEDULE		
SYMBOL	DESCRIPTION	QTY
	01 GENERAL	
[01-01]	ITEM: C.I.P. Concrete APPLICATION: Pedestrian Sidewalk; Curb & Gutter FINISH: Medium Broom Finish COLOR: Standard Gray SIZE: 4" thick, 1/8" Tooled control joints	23,963 sf
[01-06]	ITEM: Planting Area Refer to Planting Schedule	1,317 sf
[01-09]	ITEM: Diamond Steel Plate APPLICATION: Woonerf Verge SIZE: 1/4" thick MANUFACTURER: TBD	2,492 sf
[01-10]	ITEM: Playground Surface Bonded Rubber APPLICATION: Woonerf Pedestrian Verge COLOR: TBD MANUFACTURER: Easy Mulch	11,873 sf
[01-11]	ITEM: Asphalt APPLICATION: Woonerf Roadway	33,242 sf
[01-12]	ITEM: Thermoplastic Paint APPLICATION: Crosswalks COLOR: White Manufacturer: Ennis-Flint	2,359 sf
[01-13]	ITEM: Irregular Asphalt Slabs APPLICATION: Woonerf Roadway SIZE RANGE: 12"- 48" in any direction	3,579 sf


LIGHTING SCHEDULE			
SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	DETAIL
⊗	Item: Standard Pedestrian Light Pole 1 Manufacturer: Hess America Product: Linea- LN450-2LVC-NW-T2, One lamp per luminaire Color: Black Matte Pole and Mounting Height: 14 feet	44	

NOTE:
REPURPOSED WOOD LIGHT POST RANGE IN LENGTH FROM 4'-4" TO 33'-10". FOLLOW PLAN FOR APPROPRIATE LAYOUT, SIZE AND LOCATION

1 NW 1st PL. WOONERF SITE HARDSCAPE PLAN SECTION A


SCALE: 1" = 20'-0"









1 NW 1st PL. WOONERF SITE HARDSCAPE PLAN SECTION B
SCALE: 1" = 20'- 0"












PLANT SCHEDULE									
TREES	CODE	QTY	BOTANICAL NAME	COMMON NAME	HEIGHT	SPREAD	CALIPER	CLEAR TRUNK	SIZE
	AF2	3	Acacia farnesiana	Sweet Acacia	12'	6'	2"		
	LW	4	Lysiloma latisiliquum	Wild Tamarind	14'-18'	6'-8'	4"-6"		
	PD3	12	Pinus elliotti 'Densa' Mix PHC Tree Saver into backfill as per manufacturer specifications. Must be sourced from South Florida	Slash Pine	12'-14'	5'-6'	3"		
	PD	11	Pinus elliotti 'Densa' Mix PHC Tree Saver into backfill as per manufacturer specifications. Must be sourced from South Florida	Slash Pine	5'-6'	2' min.	1"		
	PD2	17	Pinus elliotti 'Densa' Mix PHC Tree Saver into backfill as per manufacturer specifications. Must be sourced from South Florida	Slash Pine	8'-10'	4'	2'-2.5"		
PALM TREES	CODE	QTY	BOTANICAL NAME	COMMON NAME	HEIGHT	SPREAD	CALIPER	CLEAR TRUNK	SIZE
	SS	28	Sabal palmetto Varying Heights Character/Curved	Cabbage Palmetto	18'-25' CT	N/A	N/A	18'-25' CT	Field Grown

1 NW 1st PL. WOONERF SITE HARDSCAPE PLAN SECTION A


SCALE: 1" = 20'- 0"






1 NW 1st PL. WOONERF SITE HARDSCAPE PLAN SECTION B
SCALE: 1" = 20'- 0"










1 NW 1st PL. WOONERF SITE HARDSCAPE PLAN SECTION D
SCALE: 1" = 20'- 0"











1 NW 1st PL. WOONERF SITE DIMENSION PLAN SECTION A
SCALE: 1" = 20'-0"

















3 NW 1st PL. WOONERF TREE SECTION
SCALE: 1/4" = 1'-0"




1 NW 1st PL. WOONERF TYPICAL SECTION THROUGH METAL PLATE
SCALE: 1/4" = 1'-0"



4 NW 1st PL. WOONERF WOOD POST SECTION
SCALE: 1/4" = 1'-0"



2 NW 1st PL. WOONERF TYPICAL SECTION
SCALE: 1/4" = 1'-0"



EXISTING CURB CUT

REPURPOSED WOOD
TELEPHONE POLES

REPURPOSED
ASPHALT SLABS

BONDED RUBBER SURFACING

THERMOPLASTIC

EXISTING SIDEWALK

SETBACK



SLASH PINE

'OPPORTUNISTIC' PLANTING STRATEGY

REPURPOSED TELEPHONE POLE

1ST PLACE WOONERF



1ST PLACE WOONERF

